

Printing date 03/28/2017

Version Number 1.0

Reviewed on 03/28/2017

Page 1/9

## **1 Identification**

#### **Product identifier**

Trade name: PIPE PLUG KIT

SDS ID Number: 2514

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing. Specialty construction product. Not intended for other uses

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

## Classification of the substance or mixture

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

## Label elements:

Hazard pictograms



Danger

Hazard statements Harmful if inhaled.

Version Number 1.0

Printing date 03/28/2017

## Trade name: PIPE PLUG KIT

Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0HMIS-ratings (scale 0 - 4) HEALTH \*2 Health = \*2

FIRE 1 Flammability = 1Reactivity = 0REACTIVITY 0

## **Other hazards**

**Results of PBT and vPvB assessment** 

**PBT:** Not applicable. vPvB: Not applicable.

# **3** Composition/information on ingredients

## **Chemical characterization: Mixture**

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	30-50%
13674-84-5	Tris(2-chlorisopropyl)-phosphate	5.0-10.0%
26447-40-5	Methylenediphenyl diisocyanate, mixture of isomers	5.0-10.0%
101-68-8	Diphenylmethane-4,4'-di-isocyanate	0.1-1.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

## **4** First-aid measures

#### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

(Cont. on page 3) USGHS

(Cont. from page 1)

Trade name: PIPE PLUG KIT

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

**Information for doctor:** 

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

#### Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

USGHS (Cont. on page 4)

Reviewed on 03/28/2017

(Cont. from page 2)

Trade name: PIPE PLUG KIT

(Cont. from page 3)

Page 4/9

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

Components with limit values that require monitoring at the workplace:		
101-68-8 Diphenylmethane-4,4'-di-isocyanate		
PEL (USA)	Ceiling limit value: 0.2 mg/m <sup>3</sup> , 0.02 ppm	
	Long-term value: 0.05 mg/m <sup>3</sup> , 0.005 ppm Ceiling limit value: 0.2* mg/m <sup>3</sup> , 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.051 mg/m <sup>3</sup> , 0.005 ppm	

Additional information: The lists that were valid during the creation were used as basis.

#### **Exposure controls**

**Personal protective equipment:** 

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

MDI contained in mixed A and B components, has a very low vapor pressure and is not likely to exceed the permissible exposure limit (PEL) in unconfined spaces. Therefore, respiratory protection is not normally required in well ventilated areas except for individuals who are hypersensitive to isocyanates.

It should also be noted that although chemical cartridge respirators may provide protection against isocyanate exposure, they are not approved for such use by NIOSH. This is because MDI has poor warning properties. (The level at which it can be detected b odor is significantly above the PEL.)

In confined areas, indoors or where there is inadequate ventilation, supplied air (NIOSH Type TC-19C-XXX) or self-contained breathing apparatus (NIOSH Type TC-13-XXX) may be required.

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

(Cont. on page 5)

USGHS

Version Number 1.0

Trade name: PIPE PLUG KIT

Page 5/9

9 Physical and chemical properties			
Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid Colorless Characteristic Not determined.		
pH-value (~):	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.		
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.		
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.1 g/cm <sup>3</sup> (9.18 lbs/gal) Not determined. Not determined. Not determined.		
Solubility in / Miscibility with Water:	Fully miscible.		
Partition coefficient (n-octanol/water	r): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.		
Other information	No further relevant information available.		

## **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

USGHS (Cont. on page 6)

Reviewed on 03/28/2017

# Trade name: PIPE PLUG KIT

#### (Cont. from page 5)

Page 6/9

44 70 1			A 🗸
		Intor	mation
11 Toxic	nogica		mation

		nediate effects and chronic effects from short or long term exposure organs through prolonged or repeated exposure.			
•	U	oxicological effects			
Acute toxi	city:				
LD/LC50	values rele	evant for classification:			
		nethanediisocyanate, isomers and homologues			
Oral	LD50	10000 mg/kg (rat)			
Dermal	LD50	9000 mg/kg (rat)			
Inhalation	LC50, 4h	490 mg/m <sup>3</sup> (rat) NTIS** National Technical Information Service. (Springfield, VA 22161) Formerly U.S. Clearinghouse for Scientific & Technical Information. Volume(issue)/page/year: OTS0555284			
12674.94	5 T-1- () -1	RTECS Ref TR0350000			
		hlorisopropyl)-phosphate			
	LD50	3600 mg/kg (rat)			
Oral	LD50	ethane-4,4'-di-isocyanate > 10000 mg/kg (rat)			
	LD50 LD50	> 9400  mg/kg (rabbit)			
		0.49 mg/l (rat)			
	LC50	$0.00224 \text{ mg/m}^3 \text{ (rat)}$			
Primary i	rritant effe	ect:			
on the ski	n: Causes s	kin irritation.			
on the eye	: Causes se	erious eye irritation.			
Harmful if	inhalation: Harmful if inhaled. Causes damage to organs.				
Ingestion:	May cause	e damage to organs through prolonged or repeated exposure.			
Sensitizati	ion:				
	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.				
Additiona	l toxicolog	ical information: Suspected of causing cancer.			
Carcinoge	enic catego	ries			
IARC (Int	ernationa	l Agency for Research on Cancer) Human Carcinogenicity: Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable			
	· ·	methanediisocyanate, isomers and homologues 3			
101-68-8	101-68-8Diphenylmethane-4,4'-di-isocyanate3				
K-Known	to be care	cology Program) cinogenic, R–May reasonably be anticipated to be carcinogenic			
None of th	e ingredier	ats is listed.			
	OSHA-Ca (Occupational Safety & Health Administration)				
None of th	None of the ingredients is listed.				

# 12 Ecological information

# Toxicity

Aquatic toxicity: No further relevant information available.

(Cont. on page 7)

Trade name: PIPE PLUG KIT

Reviewed on 03/28/2017

(Cont. from page 6)

Page 7/9

Persistence and degradability No further relevant information available.

#### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

#### Additional ecological information:

General notes: Not known to be hazardous to water.

#### **Results of PBT and vPvB assessment**

**PBT:** Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### **Uncleaned packagings:**

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

UN-Number DOT, IMDG, IATA	Not applicable.	
UN proper shipping na	ne	
DOT, IMDG, IATA	Not applicable.	
Transport hazard class	es)	
DOT, IMDG, IATA Class	Not applicable.	
Packing group DOT, IMDG, IATA	Not applicable.	
<b>Environmental hazards</b> Marine pollutant:	: No	
Special precautions for	user Not applicable.	
Transport/Additional in	formation:	
DOT		
Remarks:	Not Regulated.	

Reviewed on 03/28/2017

Trade name: PIPE PLUG KIT

**UN ''Model Regulation'':** Not applicable.

15 Regulatory information
SARA (Superfund Amendments and Reauthorization Act)
Section 302/304 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):
9016-87-9 Diphenylmethanediisocyanate, isomers and homologues 30.9%
SARA Section 312/Tier I & II Hazard Categories:
Health Hazard - Carcinogenicity Health Hazard - Acute toxicity (any route of exposure)
Health Hazard - Skin Corrosion or Irritation
Health Hazard - Respiratory or Skin Sensitization
Health Hazard - Serious eye damage or eye irritation Health Hazard - Specific target organ toxicity (single or repeated exposure)
North America Chemical Inventory Status TSCA (Toxic Substances Control Act - United States):
All ingredients are listed or exempt from listing unless otherwise noted below.
CEPA (Canadian DSL):         All ingredients are listed or exempt from listing unless otherwise noted below.
Right to Know Ingredient Disclosure:
6846-50-0 2,2-dimethyl-1-(methylethyl)-1,3-propanediyl bis(2-methylpropanoate) Modified MDI
Modified MDI Modified polymeric MDI
California Proposition 65
Chemicals known to cause cancer:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
Carcinogenicity Categories
EPA (Environmental Protection Agency)
9016-87-9 Diphenylmethanediisocyanate, isomers and homologues CBD
101-68-8Diphenylmethane-4,4'-di-isocyanateD, CBD
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable
None of the ingredients is listed.
NIOSH-Cancer (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
<b>Volatile Organic Compounds (VOC) reported per the Emission Standards.</b> If no g/L value is provided this product is not subject to above standard.
in no g/2 value is provided and product is not subject to above standard.

## **16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, (Cont. on page 9)

(Cont. from page 7)

Version Number 1.0

Trade name: PIPE PLUG KIT

right-to-know and environmental protection.

#### **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/28/2017 / -

**The first date of preparation** 07/01/2015

Number of revision times and the latest revision date 1.0 / 03/28/2017

Reviewed on 03/28/2017

(Cont. from page 8)

USGHS