

Printing date 03/28/2017

Version Number 1.0

Reviewed on 03/28/2017

Page 1/8

1 Identification

Product identifier

Trade name: HA Multigel NF

SDS ID Number: 2515

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing. Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

Hazard statements
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.

Version Number 1.0

Trade name: HA Multigel NF

[In case of inadequate ventilation] wear respiratory protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. NFPÂ ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *21 FIRE Flammability = 1

Reactivity = 0REACTIVITY 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous	components:

112-15-2	DE Acetate	10-20%
108-32-7	Propylene carbonate	10-20%
26471-62-5	m-tolylidene diisocyanate	0.1-1.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information:

Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

(Cont. on page 3) USGHS



Reviewed on 03/28/2017

Version Number 1.0

Reviewed on 03/28/2017

Trade name: HA Multigel NF

(Cont. from page 2)

Page 3/8

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

26471-62-5 m-tolylidene diisocyanate

PEL (USA) Ceiling limit value: 0.14 mg/m³, 0.02 ppm REL (USA) LFC

(Cont. on page 4)

Trade name: HA Multigel NF

Page 4/8 Safety Data Sheet Version Number 1.0 Reviewed on 03/28/2017 (Cont. from page 3) TLV (USA) Short-term value: (0.14) NIC-0.021* mg/m³, (0.02) NIC-0.003* ppm Long-term value: (0.036) NIC-0.007* mg/m³, (0.005) NIC-0.001* ppm *(IFV) SEN; NIC-Skin; A3 Additional information: The lists that were valid during the creation were used as basis. **Exposure controls Personal protective equipment:** General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. **Breathing equipment:** Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required. If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.). Due to the presence of isocyanate, supplied air respirators must be worn whenever the product is applied in poorly ventilated areas unless local exhaust will maintain exposures below acceptable limits. A chemical cartridge respirator with organic vapor cartridge is required when local exhaust is unavailable or inadequate to control exposures below required limits. When suppliedair respirators are not available or use is not practical, an air-purifying respirator may be an acceptable alternative if the recommendations below are followed: Use of fans to improve air circulation and general ventilation or exhaust ventilation to remove isocyanate vapors when working in The use of an air-purifying respirator fitted with organic vapor cartridge and a well managed cartridge change schedule. Due to the low exposure limits and poor odor warning properties, cartridges should be replaced on a daily basis at a minimum. To complement the above, a viable isocyanate measurement system should be used to monitor workplace levels. Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Safety glasses with side shield protection. Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn. A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

confined spaces.

Eve protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic phy	vsical and chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Sweetish	
Odor threshold:	Not determined.	
pH-value (~):	Not determined.	
		(Cont. on room 5)

(Cont. on page 5)

USGHS

Version Number 1.0

Trade name: HA Multigel NF

		(Cont. from page 4)
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. > 130 °C (> 266 °F) > 130 °C (> 266 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.	
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.	
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.2 g/cm ³ (10.014 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/water): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidising agents.

Water.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

26471-62-5 m-tolylidene diisocyanate

Inhalation LC50, 4h 0.48 mg/l (rat) (OECD 403)

(Cont. on page 6)

USGHS

Reviewed on 03/28/2017

Version Number 1.0

Trade name: HA Multigel NF

Reviewed on 03/28/2017

(Cont. from page 5)

2**B**

R

Primary irritant effect	Primarv	irritant	effect:
--------------------------------	---------	----------	---------

on the skin: No irritating effect expected

on the eye: Causes serious eye irritation.

inhalation: No irritating effect expected

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Additional toxicological information: Suspected of causing cancer.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

26471-62-5 m-tolylidene diisocyanate

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

26471-62-5 m-tolylidene diisocyanate

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont. on page 7) USGHS

Version Number 1.0

Reviewed on 03/28/2017

Trade name: HA Multigel NF

(Cont. from page 6)

Page 7/8

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

4 Transport information	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for use	r Not applicable.
Transport/Additional info	rmation:
DOT Remarks:	Not Regulated.
UN "Model Regulation":	Not applicable.

15 Regulatory information SARA (Superfund Amendments and Reauthorization Act) Section 302/304 (extremely hazardous substances): None of the ingredients is listed. Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt): 112-15-2 DE Acetate 12.6% SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Carcinogenicity Health Hazard - Respiratory or Skin Sensitization Health Hazard - Serious eye damage or eye irritation North America Chemical Inventory Status **TSCA (Toxic Substances Control Act - United States):** All ingredients are listed or exempt from listing unless otherwise noted below. **CEPA** (Canadian DSL): All ingredients are listed or exempt from listing unless otherwise noted below. **Right to Know Ingredient Disclosure:** 9052-50-0 Polypropylene glycol, ethoxylated, toluenediisocyanate polymer 105-76-0 dibutyl maleate **California Proposition 65** Chemicals known to cause cancer: m-tolylidene diisocyanate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. (Cont. on page 8) USGHS

Version Number 1.0

Trade name: HA Multigel NF

(Cont. from page 7)

Page 8/8

USGHS

Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

26471-62-5 m-tolylidene diisocyanate

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414 Date of preparation / last revision 03/28/2017 / -

The first date of preparation 07/01/2015

Number of revision times and the latest revision date 1.0 / 03/28/2017