

Version Number 1.0

Reviewed on 09/13/2016

Page 1/8

1 Identification

Product identifier

Trade name: MK-1000 HB

SDS ID Number: 2681

Relevant identified uses of the substance or mixture, and uses advised against Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable silica dust may cause silicosis. Occupational exposure to respirable crystalline silica should be monitored and controlled.

This product should be handled with care to avoid dust generation. May cause cancer. Route of exposure: Inhalation.

Label elements:

Hazard pictograms



Danger **Precautionary statements**

(Cont. on page 2)

Version Number 1.0

Trade name: MK-1000 HB

Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wash thoroughly after handling. In case of inadequate ventilation wear respiratory protection. Dispose of contents container in accordance with all applicable regulations.

Wash contaminated clothing before reuse. If inhaled, get medical advice/attention if you feel unwell.

May cause skin and eye irritation. Use personal protection equipment as required.

FOR PROFESSIONAL USE ONLY NFPA ratings (scale 0 - 4)

Health = 1Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH *1 Health = *1Flammability = 0FIRE 0 Reactivity = 0REACTIVITY 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

| | • | |
|------------|--------------------------|------------|
| 7778-18-9 | Calcium sulfate, natural | 50-90% |
| 14808-60-7 | Quartz (SiO2) | 2.0 - 5.0% |
| | | |

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: If breathing has stopped, give artificial respiration then oxygen if needed.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

If skin irritation occurs, consult a doctor.

After eye contact:

Rinse cautiously with water for several minutes. If eye irritation occurs, consult a doctor.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Cont. on page 3) USGHS

Reviewed on 09/13/2016

Page 2/8



Trade name: MK-1000 HB

(Cont. from page 2)

Page 3/8

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid formation of dust.

Methods and material for containment and cleaning up:

Sweep up spilled product into receptacles. Avoid formation of dust. Vacuuming or wet sweeping may be used to avoid dust dispersal.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Do not breathe dust.

Fit dust covers to mixers.

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating.

Avoid contact with skin.

Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage:

Further information about storage conditions: Store in cool, dry conditions in well sealed original receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

| Components with limit values that require monitoring at the workplace: | | | |
|--|---|--|--|
| 14808-60-7 Quartz (SiO2) | | | |
| | see Quartz listing | | |
| REL (USA) | Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A | | |
| TLV (USA) | Long-term value: 0.025* mg/m ³ * as respirable fraction | | |
| | (Cont. on page 4) | | |
| | USGHS | | |

Page 4/8

(Cont. from page 3)

Additional Occupational Exposure Limit Values for possible hazards during processing: In addition to the exposure limits referenced above, the following non-specific limits for dust apply to this product; OSHA, 15 mg/m3-TWA for Total Dust and 5 mg/m3-TWA as Respirable Dust, ACGIH, 10 mg/m3-TWA as Total Dust and 3 mg/ m3-TWA as Respirable Dust. **Additional information:** The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province. Work/Hygienic Practices: The usual precautionary measures for handling chemicals should be followed. **Exposure controls** Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing. **Personal protective equipment:** General protective and hygienic measures: Store protective clothing separately. The usual precautionary measures for handling chemicals should be followed. **Breathing equipment:** Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required. If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.). Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Eye protection: Safety glasses with side shield protection. Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn. **Body protection:** Use personal protective equipment as required. Take off contaminated clothing. 9 Physical and chemical properties Information on basic physical and chemical properties **General Information Appearance:** Form: Powder Grey Color: **Odor:** Earthy **Odor threshold:** Not determined. pH-value (~): Not applicable. Change in condition Undetermined. Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Not applicable. Flash point: Flammability (solid, gaseous): Not determined. **Decomposition temperature:** Not determined Auto igniting: Product is not selfigniting. (Cont. on page 5) USGHS

Version Number 1.0

Trade name: MK-1000 HB

| | (Cont. from page 4) | |
|--|---|--|
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| VOC Content (max): | Not determined. | |
| Vapor pressure: | Not applicable. | |
| Density: (~) | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| Partition coefficient (n-octanol/water): Not determined. | | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Molecular weight | Not applicable. | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cutting or welding may generate Sulfur dioxide.

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritating effect expected

on the eye: No irritating effect expected

inhalation: No irritating effect expected

Additional toxicological information: Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Carcinogenic categories

| IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable | | | |
|---|-------------------|--|--|
| 14808-60-7 Quartz (SiO2) | 1 | | |
| 9003-53-6 Expanded Polystyrene | 3 | | |
| NTP (National Toxicology Program) K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic | | | |
| 14808-60-7 Quartz (SiO2) | | | |
| | (Cont. on page 6) | | |

Reviewed on 09/13/2016

Reviewed on 09/13/2016

Page 6/8

(Cont. from page 5)

Trade name: MK-1000 HB

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

| 14 Transport information | | |
|---|---|----------|
| UN-Number DOT, IMDG, IATA | Not applicable. | |
| UN proper shipping name DOT, IMDG, IATA | Not applicable. | |
| Transport hazard class(es | | |
| DOT, IMDG, IATA Class | Not applicable. | |
| Packing group DOT, IMDG, IATA | Not applicable. | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for us | er Not applicable. | |
| Transport/Additional info | ormation: | |
| DOT Remarks: Note: | Not Regulated. Not Regulated for Canada TDG. | |
| | | (Cont. o |

Trade name: MK-1000 HB

UN "Model Regulation": Not applicable.

| 15 Regulatory information | | | |
|---|--|--|--|
| SARA (Superfund Amendments and Reauthorization Act) | | | |
| Section 302/304 (extremely hazardous substances): | | | |
| None of the ingredients is listed. | | | |
| Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt): | | | |
| None of the ingredients is listed. | | | |
| SARA Section 312/Tier I & II Hazard Categories:Health Delayed (chronic)YesHealth Immediate (acute)YesFlammableNoReactiveNoPressureNo | | | |
| North America Chemical Inventory Status | | | |
| TSCA (Toxic Substances Control Act - United States): | | | |
| All ingredients are listed or exempt from listing unless otherwise noted below. | | | |
| CEPA (Canadian DSL): | | | |
| All ingredients are listed or exempt from listing unless otherwise noted below. | | | |
| Right to Know Ingredient Disclosure: | | | |
| 65996-61-4 Cellulosic Fiber | | | |
| 9003-53-6 Expanded Polystyrene | | | |
| California Proposition 65 | | | |
| Chemicals known to cause cancer: | | | |
| Quartz (SiO2) | | | |
| Chemicals known to cause reproductive toxicity for females: | | | |
| None of the ingredients is listed. | | | |
| Chemicals known to cause reproductive toxicity for males: | | | |
| None of the ingredients is listed. | | | |
| Chemicals known to cause developmental toxicity: | | | |
| None of the ingredients is listed. | | | |
| Carcinogenicity Categories | | | |
| EPA (Environmental Protection Agency) | | | |
| None of the ingredients is listed. | | | |
| TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable | | | |
| Quartz (SiO2) A2 | | | |
| NIOSH-Cancer (National Institute for Occupational Safety and Health) | | | |
| 14808-60-7 Quartz (SiO2) | | | |
| Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L | | | |
| | | | |

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (Cont. from page 6)

Reviewed on 09/13/2016

Version Number 1.0

Printing date 09/13/2016

Trade name: MK-1000 HB

Date of preparation / last revision 09/13/2016 / -

The first date of preparation 08/05/2016

Number of revision times and the latest revision date $1.0\,/\,09/13/2016$

Reviewed on 09/13/2016

(Cont. from page 7)

USGHS