

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier:**

Trade name: ORGANOSOL XP FR Component A

## 1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Waterproofing.

Identified uses advised against: No further relevant information available.

#### **1.3 Details of the supplier of the safety data sheet:**

#### Manufacturer/supplier:

De Neef Construction Chemicals BVBA Industriepark 8, 2220 Heist-op-den-Berg, Belgium.

Tel: +32 15 24 93 60 Fax: +32 15 24 80 72

Further information obtainable from: conchem@deneef.com

#### 1.4 Emergency telephone number:

+44 (0)1235 239 670 (Multi-lingual – 24 Hours) +44 (0)1235 239 671 (Dedicated phone line for Arabic speaking countries - 24 Hours) EHS Department, Fanling, Hongkong - Tel. No.: (85-2) 2675-2040

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture:

#### Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: 2-dimethylaminoethanol

#### Hazard statements

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

(Contd. on page 2)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

#### Trade name: ORGANOSOL XP FR Component A

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash thoroughly after handling.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
2.3 Other hazards:

Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterization: Mixtures:

Description: Mixture of substances listed below with non-hazardous additions.

<b>Dangerous components:</b>		
CAS: 7320-34-5 EINECS: 230-785-7	Tetrapotassium pyrophosphate Eye Irrit. 2, H319	10-20%
CAS: 108-01-0         2-dimethylaminoethanol         5,0-           EINECS: 203-542-8         Flam. Liq. 3, H226         Skin Corr. 1B, H314         5,0-           Index number: 603-047-00-0         Skin Corr. 1B, H314         Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332         5,0-		5,0-10,0%
	Proprietary Cycloaliphatic nitrogen ether Skin Irrit. 2, H315; Eye Irrit. 2, H319	2,0-5,0%

Additional information: For the wording of the listed risk phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed: Irritating to eyes.

**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

(Contd. on page 3)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component A

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

#### 5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

#### **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

## 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

#### **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7:** Handling and storage

## 7.1 Precautions for safe handling:

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities:

#### STORAGE

Information about storage in one common storage facility: No special measures required.

(Contd. on page 4)

Printing Date: 26.08.2015

Version Number: 1.0

## Trade name: ORGANOSOL XP FR Component A

(Contd. of page 3)

#### Further information about storage conditions:

Protect from frost.

Store in a dry place.

Keep cool.

**7.3 Specific end use(s):** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

#### **8.1 Control parameters:**

#### Ingredients with limit values that require monitoring at the workplace:

#### 108-01-0 2-dimethylaminoethanol

WEL (Great Britain) Short-term value: 22 mg/m<sup>3</sup>, 6 ppm Long-term value: 7,4 mg/m<sup>3</sup>, 2 ppm

Additional information: Based on the lists valid at the date of MSDS creation.

#### **8.2 Exposure controls:**

#### PERSONAL PROTECTIVE EQUIPMENT

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### **Respiratory protection:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

#### Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

(Contd. on page 5)

(Contd. of page 4)

# Safety Data Sheet According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

# Trade name: ORGANOSOL XP FR Component A

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties:			
GENERAL INFORMATION			
Appearance: Form:	Liquid		
Colour:	Liquid. According to product specification.		
Odour:	Neutral		
Odour threshold:	Not determined.		
pH-value (~) at 20 °C:	11		
Change in conditions:-			
Melting point/Melting range:	Undetermined.		
<b>Boiling point/Boiling range:</b>	100 °C		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
<b>Decomposition temperature:</b>	Not determined.		
Self-igniting:	Product is not self-igniting.		
Danger of explosion:	Product does not present an explosion hazard.		
EXPLOSION LIMITS			
Lower: Not determined.			
Upper:	Not determined.		
VOC Content:         Not determined.			
Vapour pressure:	Not determined.		
Density at 20 °C:	$\sim 1.1 \text{ g/cm}^3$		
<b>Relative density:</b>	Not determined.		
Vapour density:	Not determined.		
Evaporation rate:	Not determined.		
Solubility in/Miscibility with:-			
Water:	Fully miscible.		
Partition coefficient (n-octanol/water): Not determined.			
VISCOSITY			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Molecular weight	Not applicable.		
<b>9.2 Other information:</b> No further relevant information available.			

# **SECTION 10: Stability and reactivity**

10.1 Reactivity: Stable under normal conditions.

## **10.2 Chemical stability:**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

Trade name: ORGANOSOL XP FR Component A

(Contd. of page 5)

**10.4 Conditions to avoid:** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

**10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects:**

ACUTE TOXICITY

LD/LC50 values relevant for classification:

 7320-34-5 Tetrapotassium pyrophosphate

 Dermal
 LD50
 >2000 mg/kg (mus)

 108-01-0 2-dimethylaminoethanol
 Dermal
 LD50
 2000 mg/kg (rat)

 Dermal
 LD50
 2000 mg/kg (rat)
 1370 mg/kg (rabbit)

 Inhalative
 LC50, 4h
 3,25 mg/l (mus)

**Primary irritant effect:-**

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity:

AQUATIC TOXICITY No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

#### ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable.

(Contd. of page 6)

#### Safety Data Sheet According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

Trade name: ORGANOSOL XP FR Component A

**vPvB:** Not applicable.

12.6 Other adverse effects: No further relevant information available.

# **SECTION 13: Disposal considerations**

## **13.1 Waste treatment methods:**

**Recommendation:** 



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

## UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

14.1 UN-Number ADR, ADN, IMDG, IATA	Not Regulated
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Not Regulated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Not Regulated
14.4 Packing group ADR, IMDG, IATA	Not Regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user: Not Regulated	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not Regulated	
UN "Model Regulation":	Not regulated for transport.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

National regulations:

Other regulations, limitations and prohibitive regulations: All components EINECS listed or exempt.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

(Contd. of page 7)

Printing Date: 26.08.2015

#### Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component A

**SECTION 16: Other information** 

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases:**

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

#### **Department issuing MSDS:**

EHS Department, Asia Pacific Region Grace Construction Products SCIP, Canlubang, Calamba City, Laguna Philippines 4028 Tel: ++63 (02) 884-0300, Fax: ++63 (49) 549-7778

#### **Other Information:**

In the previous MSDS, version control was by Issue Number and Date. With the change to alternative MSDS creation software, version control is now based on printing and review dates which appear at the top of each page. Also consequent on this change, amendments have been made in all Sections of this MSDS. In future updates to MSDS, amended sections will be indicated by an asterisk (\*) in the left-hand margin.

The first date of preparation: 26.08.2015

Number of revision times and the latest revision date: 1.0 / 26.08.2015



Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier:**

Trade name: ORGANOSOL XP FR Component B

#### 1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Waterproofing.

Identified uses advised against: No further relevant information available.

#### **1.3 Details of the supplier of the safety data sheet:**

#### Manufacturer/supplier:

De Neef Construction Chemicals BVBA Industriepark 8, 2220 Heist-op-den-Berg, Belgium.

Tel: +32 15 24 93 60 Fax: +32 15 24 80 72

Further information obtainable from: <a href="mailto:conchem@deneef.com">conchem@deneef.com</a>

#### 1.4 Emergency telephone number:

+44 (0)1235 239 670 (Multi-lingual – 24 Hours) +44 (0)1235 239 671 (Dedicated phone line for Arabic speaking countries - 24 Hours) EHS Department, Fanling, Hongkong - Tel. No.: (85-2) 2675-2040

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture:

#### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



(Contd. on page 2)

GB 🗖

Printing Date: 26.08.2015

Version Number: 1.0

# Trade name: ORGANOSOL XP FR Component B

		(Contd. of page 1)
Signal word Dat	nger	
Diphenylmethan	ining components of labelling: ediisocyanate, isomers and homologues e-4,4'-di-isocyanate	
H334 May cause H317 May cause H351 Suspected H335 May cause	inhaled. n irritation. ious eye irritation. allergy or asthma symptoms or breathing difficulties if inhaled. an allergic skin reaction. of causing cancer. respiratory irritation. damage to organs through prolonged or repeated exposure.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P284 P305+P351+P33	<ul><li>[In case of inadequate ventilation] wear respiratory protection.</li><li>8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i and easy to do. Continue rinsing.</li></ul>	f present
P302+P352	IF ON SKIN: Wash with plenty of water.	
P337+P313 P333+P313	If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.	
Additional infor	mation:	

Contains isocyanates. May produce an allergic reaction.

## 2.3 Other hazards:

#### **Results of PBT and vPvB assessment:**

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

## **3.2 Chemical characterization: Mixtures:**

**Description:** Mixture of substances listed below with non-hazardous additions.

Diphenylmethanediisocyanate, isomers and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	50-100%
Diphenylmethane-4,4'-di-isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	25-30%
tris(2-chlorisopropyl)-phosphate Acute Tox. 4, H302	10-20%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Diphenylmethane-4,4'-di-isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 tris(2-chlorisopropyl)-phosphate

Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component B

(Contd. of page 2)

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

# 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media:**

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

## **5.3 Advice for firefighters:**

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

#### **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

## 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

#### **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

(Contd. of page 3)

#### Safety Data Sheet According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component B

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling:

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities:

#### STORAGE

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

#### **8.1 Control parameters:**

Ingredients wit	th limit values t	that require m	onitoring at the	workplace:

9016-87-9 Diphenylmethanediisocyanate, isomers and homologues			
WEL (Great Britain)	Short-term value: 0,07 mg/m <sup>3</sup>		
	Long-term value: 0,02 mg/m <sup>3</sup>		
	Sen; as -NCO		
101-68-8 Diphenylm	101-68-8 Diphenylmethane-4,4'-di-isocyanate		
WEL (Great Britain)	Short-term value: 0,07 mg/m <sup>3</sup> Long-term value: 0,02 mg/m <sup>3</sup> Sen; as -NCO		
PEL (USA)	Ceiling limit: 0,2 mg/m <sup>3</sup> , 0,02 ppm		
REL (USA)	Long-term value: 0,05 mg/m <sup>3</sup> , 0,005 ppm Ceiling limit: 0,2* mg/m <sup>3</sup> , 0,02* ppm *10-min		
TLV (USA)	Long-term value: 0,051 mg/m <sup>3</sup> , 0,005 ppm		
-	(C	contd. on page 5)	

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component B

		(Contd. c	of page 4)
DNELs			
101-68-8 Г	Diphenylmethane-4,4'-o	di-isocyanate	
Oral	DNEL short term syst.	20 mg/kg bw/d (general population)	
Dermal	DNEL acute local eff	17,2 mg/cm2 (general population)	
		28,7 mg/cm2 (workers)	
	DNEL short term syst.	25 mg/kg bw/d (general population)	
		50 mg/kg bw/d (workers)	
Inhalative	DNEL long term syst.	0,025 mg/m3 (general population)	
		0,05 mg/m3 (workers)	
	DNEL short term syst.	0,05 mg/m3 (general population)	
PNECs			
101-68-8 Г	Diphenylmethane-4,4'-o	di-isocyanate	
PNEC STR	P 1 mg/l (-)		
PNEC fres	shwater 1 mg/l (-)		
PNEC mar	rine water 0,1 mg/l (-)		

Additional information: Based on the lists valid at the date of MSDS creation.

## 8.2 Exposure controls:

#### PERSONAL PROTECTIVE EQUIPMENT

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### **Respiratory protection:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

#### Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

(Contd. on page 6)

(Contd. of page 5)

## Safety Data Sheet According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

# Trade name: ORGANOSOL XP FR Component B

Take off contaminated clothing.

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemical properties:				
GENERAL INFORMATION Appearance: Form: Colour: Odour: Odour: Odour threshold:	Liquid. Dark brown. Characteristic. Not determined.			
pH-value (~):	Not determined.			
Change in conditions:- Melting point/Melting range: Boiling point/Boiling range: Flash point:	Melting point/Melting range:Undetermined.Boiling point/Boiling range:Not determined.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature: Self-igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.			
EXPLOSION LIMITS Lower: Upper: VOC Content:	0,4 Vol % Not determined. Not determined.			
Vapour pressure: Density at 20 °C: Relative density: Vapour density: Evaporation rate:	sity at 20 °C:     ~ 1,1 g/cm <sup>3</sup> ative density:     Not determined.       oour density:     Not determined.			
Solubility in/Miscibility with:-         Water:       Not miscible or difficult to mix.				
Partition coefficient (n-octanol/water): Not determined.				
VISCOSITY Dynamic: Kinematic: Molecular weight	Dynamic:Not determined.Kinematic:Not determined.			
<b>9.2 Other information:</b> No further relevant information available.				

# **SECTION 10: Stability and reactivity**

10.1 Reactivity: Stable under normal conditions.

**10.2 Chemical stability:** 

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

# **10.3** Possibility of hazardous reactions

Reacts with water.

(Contd. on page 7) GB

(Contd. of page 6)

#### Safety Data Sheet According to 1272/2008/EC (CLP)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

Trade name: ORGANOSOL XP FR Component B

Reacts with oxidising agents.

**10.4 Conditions to avoid:** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects:**

#### ACUTE TOXICITY

## Harmful if inhaled.

LD/LC50 values relevant for classification:

**101-68-8 Diphenylmethane-4,4'-di-isocyanate** 

Oral	LD30	> 10000  mg/kg (rat)
Dermal	LD50	> 9400 mg/kg (rabbit)
T. 1. 1. (	1 050 41	$0.40 = \pi/1 (mat)$

Inhalative LC50, 4h 0,49 mg/l (rat)

13674-84-5 tris(2-chlorisopropyl)-phosphate

Dermal LD50 3600 mg/kg (rat)

#### Primary irritant effect:-

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Suspected of causing cancer.

Reproductive toxicity Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause respiratory irritation.

#### **STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

12.1 Toxicity:

AQUATIC TOXICITY No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

(Contd. on page 8)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

# Trade name: ORGANOSOL XP FR Component B

(Contd. of page 7)

#### **12.4 Mobility in soil:** No further relevant information available.

#### ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

## 12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable.

**vPvB:** Not applicable.

12.6 Other adverse effects: No further relevant information available.

## **SECTION 13: Disposal considerations**

## **13.1** Waste treatment methods:

**Recommendation:** 



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

## UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Not Regulated	
14.4 Packing group ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user: Not Regulated		
14.7 Transport in bulk according to Annex II		
of MARPOL73/78 and the IBC Code:	Not Regulated	
UN "Model Regulation":	Not regulated for transport.	

(Contd. on page 9)

Printing Date: 26.08.2015

Version Number: 1.0

Revision Date: 26.08.2015

## Trade name: ORGANOSOL XP FR Component B

(Contd. of page 8)

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

National regulations:

Other regulations, limitations and prohibitive regulations: All components EINECS listed or exempt.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases:**

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

#### **Department issuing MSDS:**

EHS Department, Asia Pacific Region Grace Construction Products SCIP, Canlubang, Calamba City, Laguna Philippines 4028 Tel: ++63 (02) 884-0300, Fax: ++63 (49) 549-7778

#### **Other Information:**

In the previous MSDS, version control was by Issue Number and Date. With the change to alternative MSDS creation software, version control is now based on printing and review dates which appear at the top of each page. Also consequent on this change, amendments have been made in all Sections of this MSDS. In future updates to MSDS, amended sections will be indicated by an asterisk (\*) in the left-hand margin.

The first date of preparation: 26.08.2015

Number of revision times and the latest revision date: 1.0 / 26.08.2015