

Safety Data Sheet
According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier:**Trade name: **MULTITEK ADHESIVE SDW COMPONENT B****1.2 Relevant identified uses of the substance or mixture, and uses advised against:** Waterproofing.

Identified uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:**Manufacturer/supplier:**

De Neef Construction Chemicals BVBA
Industriepark 8,
2220 Heist-op-den-Berg,
Belgium.

Tel: +32 15 24 93 60

Fax: +32 15 24 80 72

Further information obtainable from: conchem@deneef.com**1.4 Emergency telephone number:**

+44 (0)1235 239 670 (Multi-lingual – 24 Hours)

+44 (0)1235 239 671 (Dedicated phone line for Arabic speaking countries - 24 Hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture:****Classification according to Regulation (EC) No 1272/2008**

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361f Suspected of damaging fertility.

2.2 Label elements:**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05 GHS07 GHS08

Signal word Danger**Hazard-determining components of labelling:**

m-phenylenebis (methylamine)

4-tert-butylphenol

Trimethylhexane-1,6-diamine

3-aminopropyldimethylamine

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361f Suspected of damaging fertility.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

GB

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Hazard description: Corrosive

2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterization: Mixtures:

Description:

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:

CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50-XXXX	m-phenylenebis (methylamine) Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317 Aquatic Chronic 3, H412	5.0-10.0%
CAS: 98-54-4 EINECS: 202-679-0 Index number: 604-090-00-8	4-tert-butylphenol Repr. 2, H361f Eye Dam. 1, H318 Skin Irrit. 2, H315	5.0-10.0%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38-XXXX	Benzyl alcohol Acute Tox. 4, H302; Eye Irrit. 2, H319	2.0-5.0%
CAS: 25620-58-0 EINECS: 247-134-8	Trimethylhexane-1,6-diamine Skin Corr. 1B, H314 Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 3, H412	2.0-5.0%
CAS: 109-55-7 EINECS: 203-680-9 Index number: 612-061-00-6	3-aminopropyl dimethylamine Flam. Liq. 3, H226 Skin Corr. 1B, H314 Acute Tox. 4, H302; Skin Sens. 1, H317	1.0-2.0%
CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412	0.1-1.0%

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

GB

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed:

Causes burns.

May cause sensitisation by skin contact.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Risk of serious damage to eyes.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: No special measures required.

(Contd. on page 4)

GB

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 3)

Further information about storage conditions:

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters:
Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: Based on the lists valid at the date of MSDS creation.

8.2 Exposure controls:
PERSONAL PROTECTIVE EQUIPMENT
General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:


Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:
GENERAL INFORMATION
Appearance:

Form:	Viscous
Colour:	Dark gray.
Odour:	Amine-like.
Odour threshold:	Not determined.

pH-value (~): Not determined.

(Contd. on page 5)

GB

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 4)

Change in conditions:-	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 200 °C
Flash point:	> 130 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	510 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
EXPLOSION LIMITS	
Lower:	Not determined.
Upper:	Not determined.
VOC Content:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.7 g/cm ³
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in/Miscibility with:-	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
VISCOSITY	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.
9.2 Other information:	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal conditions.

10.2 Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

ACUTE TOXICITY

LD/LC50 values relevant for classification:
1477-55-0 m-phenylenebis (methylamine)

Oral	LD50	930 mg/kg (rat) (OECD 401)
Dermal	LD50	3100 mg/kg (rat) (OECD 402)
Inhalative	LC50, 4h	2.4 mg/l (rat) (OECD 403)

98-54-4 4-tert-butylphenol

Dermal	LD50	2951 mg/kg (rat) 2288 mg/kg (rabbit)
--------	------	---

100-51-6 Benzyl alcohol

Dermal	LD50	1230 mg/kg (rat) 2000 mg/kg (rabbit)
--------	------	---

(Contd. on page 6)

GB

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 5)

109-55-7 3-aminopropyldimethylamine		
Oral	LD50	410 mg/kg (rat) (OECD 401)
Dermal	LD50	1870 mg/kg (rat)
		490 mg/kg (rabbit)
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Oral	LD50	2169 mg/kg (rat) (OECD 401)
Dermal	LD50	1242 mg/kg (rabbit)

Primary irritant effect:-**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information: Suspected of damaging fertility or the unborn child.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

Suspected of damaging fertility.

STOT-single exposure Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity:

AQUATIC TOXICITY	
1477-55-0 m-phenylenebis (methylamine)	
EC50, 72h	12 mg/l (algae) (OECD 201)
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
EC50, 72h	84 mg/l (algae) (OECD 201)

12.2 Persistence and degradability: No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**ADDITIONAL ECOLOGICAL INFORMATION****General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment:**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects:** No further relevant information available.
 GB
 (Contd. on page 7)

Safety Data Sheet

According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: **MULTITEK ADHESIVE SDW COMPONENT B**

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN2289

14.2 UN proper shipping name

ADR, IMDG, IATA

ISOPHORONEDIAMINE mixture

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

8 Corrosive substances.

Label

8

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user:

Danger code (Kemler):

Warning: Corrosive substances.

EMS Number:

80

F-A,S-B

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not Regulated

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

Safety Data Sheet
According to 1272/2008/EC (CLP)

Printing Date: 02.09.2015

Version Number: 1.1

Revision Date: 02.09.2015

Trade name: MULTITEK ADHESIVE SDW COMPONENT B

(Contd. of page 7)

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

See Section 2 for hazard identification.

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**National regulations:****Other regulations, limitations and prohibitive regulations:** All components EINECS listed or exempt.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H361f Suspected of damaging fertility.
H412 Harmful to aquatic life with long lasting effects.

Department issuing MSDS:

Product Stewardship Department - GRACE, 580-581 Ipswich Road, Slough, Berkshire, SL1 4EQ

Tel: ++44 (0)1753 490 000, Fax: ++44 (0)1753 490 051

The first date of preparation: 02.09.2015**Number of revision times and the latest revision date:** 1.1 / 02.09.2015

GB

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier:**Trade name: MULTITEK ADHESIVE SDW COMPONENT A**1.2 Relevant identified uses of the substance or mixture, and uses advised against: .****Relevant identified uses of the substance or mixture:** Waterproofing.**Identified uses advised against:** No further relevant information available.**1.3 Details of the supplier of the safety data sheet:****Manufacturer/supplier:**

De Neef Construction Chemicals BVBA
Industriepark 8,
2220 Heist-op-den-Berg,
Belgium.

Tel: +32 15 24 93 60

Fax: +32 15 24 80 72

Further information obtainable from: conchem@deneef.com**1.4 Emergency telephone number:**

+44 (0)1235 239 670 (Multi-lingual – 24 Hours)

+44 (0)1235 239 671 (Dedicated phone line for Arabic speaking countries - 24 Hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture:****Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Muta. 2	H341 Suspected of causing genetic defects.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements:**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS07 GHS08 GHS09

Signal word Warning**Hazard-determining components of labelling:**

Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)
2,3-epoxypropyl neodecanoate
Bisphenol A/F Epoxy Resin

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: MULTITEK ADHESIVE SDW COMPONENT A

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P337+P313 If eye irritation persists: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Additional information:

Avoid breathing dust.

Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards:**Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterization: Mixtures:**Description:**

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:

CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8 Reg.nr.: 01-2119456619-26-XXXX	Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) ----- Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	20-25%
CAS: 26761-45-5 EINECS: 247-979-2	2,3-epoxypropyl neodecanoate ----- Muta. 2, H341 Aquatic Chronic 2, H411 Skin Sens. 1, H317	5-10%
CAS: 40216-08-8	Bisphenol A/F Epoxy Resin ----- Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	3.0-5.0%

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures:**General information:** Get medical advice/attention if you feel unwell.**After inhalation:** No special measures required.**After skin contact:** Wash with plenty of soap and water.**After eye contact:** Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

(Contd. on page 3)

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: *MULTITEK ADHESIVE SDW COMPONENT A*

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Avoid release to the environment.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Protect from frost.

(Contd. on page 4)

GB

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: MULTITEK ADHESIVE SDW COMPONENT A

(Contd. of page 3)

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: Based on the lists valid at the date of MSDS creation.

8.2 Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European and national legislation.

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:


Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

GENERAL INFORMATION

Appearance:
Form:

Paste.

Colour:

According to product specification.

Odour:

Neutral

Odour threshold:

Not determined.

pH-value (~):

Not determined.

(Contd. on page 5)

GB

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: MULTITEK ADHESIVE SDW COMPONENT A

(Contd. of page 4)

Change in conditions:-	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 200 °C
Flash point:	> 150 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
EXPLOSION LIMITS	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.7 g/cm ³
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in/Miscibility with:-	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
VISCOSITY	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.
9.2 Other information:	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal conditions.

10.2 Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials:

Oxidising agents.

Alcohol.

Amines, alkalines

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:
ACUTE TOXICITY Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

	LC50, 96h	220 mg/l (algae)
		3.6 mg/l (bacterial)
		2.4 mg/l (fish)
	LC50, 48h	2.8 mg/l (daphnia magna)
26761-45-5 2,3-epoxypropyl neodecanoate		
Dermal	LD50	>9600 mg/kg (rat)

(Contd. on page 6)

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: **MULTITEK ADHESIVE SDW COMPONENT A**

(Contd. of page 5)

LD50	>3800 mg/kg (rabbit)
LC50, 96h	10 mg/l (fish)

Primary irritant effect:-**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information: Suspected of causing genetic defects.**Germ cell mutagenicity**

Suspected of causing genetic defects.

Carcinogenicity Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity:****AQUATIC TOXICITY** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**ECOTOXICAL EFFECTS****Remark:** Toxic for fish**ADDITIONAL ECOLOGICAL INFORMATION****General notes:**

Harmful to aquatic organisms.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms.

12.5 Results of PBT and vPvB assessment:**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects:** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods:****Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: MULTITEK ADHESIVE SDW COMPONENT A

(Contd. of page 6)

Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles.

European waste catalogue:

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 99	wastes not otherwise specified

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number
ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name
ADR

 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
 LIQUID, N.O.S. (Epoxy resin, 2,3-epoxypropyl
 neodecanoate)
IMDG
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
 LIQUID, N.O.S. (Epoxy resin, 2,3-epoxypropyl
 neodecanoate), MARINE POLLUTANT
IATA
 Environmentally hazardous substance, liquid, n.o.s. (Epoxy
 resin, 2,3-epoxypropyl neodecanoate)

14.3 Transport hazard class(es)
ADR, IMDG, IATA
Class
Label

 9 Miscellaneous dangerous substances and articles.
 9

14.4 Packing group
ADR, IMDG, IATA

III

14.5 Environmental hazards:
Marine pollutant:
Special marking (ADR):
Special marking (IATA):

 Product contains environmentally hazardous substances:
 Epoxy resin
 Symbol (fish and tree)
 Symbol (fish and tree)
 Symbol (fish and tree)

14.6 Special precautions for user:
Danger code (Kemler):
EMS Number:
Stowage Category

 Warning: Miscellaneous dangerous substances and articles.
 90
 F-A,S-F
 A

14.7 Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code:

Not Regulated

Transport/Additional information:
ADR
Limited quantities (LQ)
Excepted quantities (EQ)

 5L
 Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

Transport category
Tunnel restriction code

 3
 E

(Contd. on page 8)

Safety data sheet

According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 06.01.2016

Version Number: 1.0

Revision Date: 06.01.2016

Trade name: MULTITEK ADHESIVE SDW COMPONENT A

(Contd. of page 7)

IMDG**Limited quantities (LQ)****Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category E2** Hazardous to the Aquatic Environment**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**National regulations:****Other regulations, limitations and prohibitive regulations:** All components EINECS listed or exempt.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

Department issuing MSDS:

Product Stewardship Department - GRACE, 580-581 Ipswich Road, Slough, Berkshire, SL1 4EQ

Tel: ++44 (0)1753 490 000, Fax: ++44 (0)1753 490 051

Other Information:

In June 2003, SCOEL, the EU Scientific Committee on Occupational Exposure Limits concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis.

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

The first date of preparation: 06.01.2016**Number of revision times and the latest revision date:** 1.0 / 06.01.2016